

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELLOW:-

REQ.NO.	DESCRIPTION	QTY.	PRICE/ ID DINAR	عدد مرات الاعلان
1382/2011	INSTRUMENT & METER	38 ITEMS	50 000	مرة أولى

NOTE:

1. THE REQ. TO BE SOLD IN IRAQI DINAR, UN RETURNABLE.
2. WE PREFER PRICES IN US DOLLAR AND CIP BAGHDAD (DAURA REFINERY) AND NOT ACCEPTABLE BY LOCAL CURRENCY FOR FOREIGN REQ.
3. CLOSED (TECHNICAL & COMMERCIAL) OFFERS TO BE SUBMITTED SEPARATELY BY (DHL) & ALL THE OFFERS THAT SEND BY E-MAIL WILL BE REFUSED.
- ALL PAGES OF TECHNICAL & COMMERCIAL OFFER SHOULD NUMBERED WITH ATTACHMENT
4. ALL DOCUMENTS (PROFILE) AND SIMILAR CONTRACTS WHICH THEY ACHIEVED ISSUED BY GOVERNMENTAL CONTRACTS MUST BE SUBMITTED BEFORE PURCHASING THE REQ. OR THE OFFERS OTHERWISE THE OFFER WILL BE REFUSED
5. TERMS OF PAYMENT IS BY IRREVOCABLE & UN CONFIRMED LETTER OF CREDIT TO BE PAID 100% AFTER THE RECEIPT OF GOODS IN BAGHDAD COMPLETE AND AS ORDER.
6. AN UNCONDITIONAL PERFORMANCE BOND OF 5% OF TOTAL AMOUNT OF THE L/C TO BE SUBMITTED WITHIN TWO WEEKS FROM THE DATE OF THIS ORDER IN FAVOUR OF (MIDLAND REFINERIES CO.) TO BE RELEASED AFTER THE RECEIPT OF GOODS COMPLETE AND AS ORDERED.
7. THE TOTAL VALUE DELAY PENALTY SHOULD BE APPLIED AND NOT EXCEED 10%
8. THE BID BOND SHOULD BE SUBMITTED 1% FROM THE TOTAL VALUE OF YOUR OFFER (COMMERCIAL OFFER) AS (LETTER OF GUARANTEE OR CERTIFIED CHEQUE OR BANK GUARANTEE) **ORIGINAL COPY** ISSUED FROM (TRADE BANK OF IRAQ, DAR ESSALAAM INVESTMENT , ALA ATIMAN , BYBLOS, MIDDLE EAST ASHUR INTERNATIONAL BANK FOR INVESTMENT, ECONOMY BANK FOR INVESTMENT & FINANCE) AND RELEASED IMMEDIATELY IN CASE THE REQUEST IS NOT AWARDED TO THE COMPANY.
- THE CHEQUE & THE BANK GUARANTEE THAT ISSUED FROM AL WARKA BANK, ISLAMIC BILAD , BASRAH INTERNATIONAL BANK ARE NOT ACCEPTABLE
9. THE COMPANY MUST SUBMIT ACOVENANT ENCLOSED WITH THE TECHNICAL OFFER THAT THEY HAVE SUBMITTED ABID BOND (**ORIGINAL COPY**) WITH COMMERCIAL OFFER AND (WITHOUT STATING THE AMOUNT OF THE BID BOND) OTHERWISE THE OFFER SHOULD BE NEGLECTED
10. 3% OF TOTAL VALUE OF THE PURCHASE ORDER FOR IRAQI COMPANIES ALSO IN CASE THE PAYMENT OF PAYABLE IN IRAQI DINAR TO BE DEDUCTED AS TAXES AND RETURN THROUGH TAXES OFFICE
11. 0.002 STAMP DUTY SHOULD BE DEDUCTED.
12. ORIGIN CERTIFICATE & COMMERCIAL INVOICES SHOULD BE APPROVED BY IRAQI EMBASSY/ COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN
13. ALL OFFERS AND CORRESPONDENCES SHOULD BE CLEARLY SIGNED BY GENERAL MANAGER OR WHOM ARE OFFICIALLY EMPOWERED VIA A POWER OF ATTORNEY OTHERWISE THE OFFERS SHOULD BE NEGLECTED
14. **CLOSING DATE IS- 7/11 /2011 TILL (1) O, CLOCK (AFTER NOON)**

NOTE:- YOU CANFIND THE CONDITIONS OF SUBMITTING OFFER ON
WEBSITE : www.oil.gov.iq OR www.dauramrc.com

**SAAD NOORI MOHAMMED
G. MANAGER**

CONDITIONS FOR PRESENT IMPORT REQUISITIONS TENDERS

<p>1. PAYMENT : BY IRREVOCABLE UNCONFIRMED AND UNTRANSFERABLE LETTER OF CREDIT (L/C) TO BE PAID 100% AFTER RECEIPT OF MATERIAL COMPLETE AND AS ORDERED , THE ABOVE PERCENTAGE CAN BE CHANGED AGAINST BANK GUARANTEE , CONFIRMATION CHARGES TO BE BORNE BY SUPPLIER (SECOND PARTY) IF REQUESTED OR BY WIRE TRANSFER</p> <p>- WE CAN PAY IN IRAQI DINAR AND EQUAL THE VALUE OF THE PURCHASE ORDER FOR IRAQI COMPANIES ALSO IN CASE OF THE COMPANY (SECOND PARTY) REQUEST THAT INSTEAD OF L/C AND HAS (ACCOUNT NUMBER) INSIDE IRAQ.</p>	<p>1- شروط الدفع المعتمدة لدينا / اعتماد مستندي غير قابل للنقض او التحويل وغير مثبت وتطلق المستحقات 100% بعد استلام المواد كاملة ومطابقة ويمكن الاتفاق على نسب اخرى مقابل ضمانات ويتحمل المجهز مصاريف تثبيت الاعتماد في حالة طلبه ان يكون الاعتماد مثبت او حوالة مصرفية</p> <p>- يمكن دفع المبالغ بما يعادل مبلغ امر الشراء بالدينار العراقي للشركات العراقية او الشركات التي ترغب بذلك وبدون فتح اعتماد في حالة توفر حساب مصرفي داخل العراق 0</p>
<p>2. SUPPLIER (SECOND PARTY) MUST SUBMIT A BID BOND 1% OF TOTAL VALUE OF HIS OFFER (BANK GUARANTEE , LETTER OF GUARANTEE OR APPROVED CHECK) (ORIGINAL COPY) WITH THE COMMERCIAL OFFER THE BID BOND SHOULD BE RELEASED IN CASE OF NOT AWARDING THE REQUISITION AND TO BE CONFISCATED IF SUPPLIER (SECOND PARTY) NOT BE BOND REGARDING HIS OFFER AFTER INFORMING THE AWARDING AND TO BE NEGLECT THE OFFER IF SUPPLIER NOT BE SUBMITTED THE BID BAND</p> <p>3. DELIVERY PERIOD SHOULD BE EXACTLY SHOWN.</p>	<p>2- يقدم المجهز تامينات اولية مقدارها (1 %) من قيمة العطاء (خطاب ضمان او صك مصدق او كفالة مصرفية) (نسخة اصلية) ويوضع في العرض التجاري ويتم اطلاق هذه التامينات في حالة عدم الاحالة عليه وتصار در في حالة عدم التزامه بالعرض بعد تبليغه بالاحالة ويهمل العرض في حالة عدم تقديم التامينات الاولية</p> <p>3- يتم تحديد فترة التجهيز ولاتقبل عبارة (من - الى)</p>
<p>4. WE PREFER PRICES IN US DOLLAR AND CIP BAGHDAD (MIDLAND REFINERY COMPANY)</p>	<p>4- يفضل تقديم العروض بعملة الدولار واصل بغداد (شركة مصافي الوسط)</p>
<p>5. IN CASE OF PARTIAL SHIPMENT , NUMBER OF SHIPMENTS AND QTY TO BE MENTIONED IN THE OFFER AND TO BE SUPPLIED WITHIN DELIVERY PERIOD , PAYMENT WILL BE EFFECTED AFTER RECEIPT OF EACH SHIPMENT COMPLETE AND AS ORDERED .</p>	<p>5- في حالة تجزئة الشحن يثبت ذلك في العرض مع تحديد عدد الشحنات وكمياتها ضمن فترة التجهيز وتدفع قيمة كل شحنة بعد استلامها كاملة ومطابقة</p>
<p>6. SUPPLIER (SECOND PARTY) BEAR THE RESPONSIBILITY OF THE INSURANCE OF THE MATERIAL TILL RECEIPT AT BUYER S SITE (FIRST PARTY) . UNLESS THERE IS ANOTHER AGREEMENT MENTIONED IN THE CONTRACT</p>	<p>6- يتحمل البائع مسؤولية التامين على البضاعة لحين وصولها الى المشتري الا اذا كان هناك اتفاق اخر يثبت في العقد</p>
<p>7. TWO OFFERS TECHNICAL & COMMERCIAL IN SEPARATED ENVELOPES SHOULD BE SUBMITTED, - REQ NO. , NAME OF SUPPLIER, CLOSING DATE SHOULD BE STATED, - IF THE TWO OFFERS ABOVE PUT IN ONE ENVELOPE BOTH OF THEM WILL BE REJECTED. ALSO OPEN OFFERS ARE REJECTED, TECHNICAL - SPECIFICATIONS SHOULD BE STATED CLEARLY.</p>	<p>7- يقدم عرضان منفصلان / تجاري وفني يثبت على غلاف كلاهما رقم الطلبية / اسم المجهز/ تاريخ الغلق وتكون المواصفات الفنية مفصلة وموقعة من قبل المجهز ويهمل العرض في حالة وضع التجاري والفني في ظرف واحد ولا تقبل العروض المكشوفة</p>

8. THE NOT AS ORDERED OFFERS SHOULD BE DISREGARDED	8- تهمل العروض الغير مطابقة للمواصفات
9. TECHNICAL INQUIRIES SHOULD BE EXECUTED BEFORE THE CLOSING DATE	9- يمكن للمجهزين ان يرسلو استفساراتهم الفنية قبل تاريخ الغلق
10. OFFERS CANNOT BE ACCEPTED AFTER THE CLOSING DATE, CLOSED OFFERS TO SENT BY POST OR BY D.H.L ARE ACCEPTED AND SHOULD BE PUT TOGETHER WITH THOSE WHICH WERE BROUGHT BY HAND IN THE FOREIGN OFFERS BOX IN RECEPTION SECTION WITHIN THE CLOSING DATE PERIOD.	10- تهمل العروض التي ترد بعد تاريخ الغلق وتقبل العروض التي ترسل مغلقة بالبريد او D.H.L وتوضع مع العروض التي ترد باليد في صندوق استعلامات الشركة
11. OFFERS FOR MORE THAN ONE REQ. IN ONE ENVELOPE WILL BE REJECTED	11- لايجوز وضع عروض لاكثر من طلبية في ظرف واحد حيث سيتم اهمالها
12. PRICES TO BE FINAL NOT NEGOTIABLE AND OUR COMPANY IS NOT OBLIGED TO ACCEPT THE LOWEST PRICES .	12- الاسعار نهائية وغير قابلة للتفاوض وشركتنا غير ملزمة بقبول اوطأ العروض
13. THE AWARD SHOULD BE IN FAVOR OF THE COMPANY WHICH SENT THE OFFER . BENEFICIARIES NAME CANNOT BE CHANGED	13- الاحالة تكون باسم الشركة التي قدمت العرض ولايجوز تغيير اسم المستفيد
14. SAMPLES IF REQUESTED SHOULD BE SENT AND RECEIVED WITHIN THE CLOSING DATE PERIOD	14- في حالة طلب النماذج فتقدم خلال فترة الغلق
15. OUR COMPANY HAS THE RIGHT OF ASSIGNING WHOLE OR PARTIAL TO MORE THAN ONE SUPPLIER	15- يمكن لشركتنا الاحالة على اكثر من مجهز
16. REQUISITION SHOULD BE BOUGHT WITHIN CLOSING DATE PERIOD . THE RECEIPT SHOULD BE PUT IN THE TECHNICAL OFFER . COMPANIES WHICH ARE REQUESTED DIRECTLY BY US ARE EXEMPTED BUYING THE REQUISITION	16- يتم شراء الطلبية خلال فترة الغلق ويوضع وصل الشراء مع العرض الفني / وتعفى الشركات التي تتم مفاتها من قبلنا من هذا الشرط
17. THE COMPANY MUST PRESENT AUTHORIZATION FROM THE MANUFACTURER AND TO BE APPROVED BY THE IRAQ EMBASSY IN THE MANUFACTURER COUNTRY TO SUPPLY THE REQUESTED MATERIAL	17- تقدم الشركة ما يؤيد بانها مخولة من قبل المصنع بتجهيز المواد ويكون التخويل مصدقا من السفارة العراقية في بلد المصنع
18. ALL OFFERS AND CORRESPONDENCES SHOULD BE CLEARLY SIGNED BY GENERAL MANAGER OR WHOM ARE OFFICIALLY EMPOWERED VIA A POWER OF ATTORNEY	18- يقوم المجهز بتثبيت اسم المدير العام للشركة او من يخولهم في العروض والمراسلات وبشكل واضح ورسمي
19. OFFERS AND OTHERS CORRESPONDENCES TO BE IN OFFICIAL PAPERS OF THE MANUFACTURER COMPANYS	19- تقدم العروض والمراسلات على اوراق الشركات المصنعة

<p>20 .OMPANIES WHICH ARE NOT REGISTERED IN OUR VENDERS LISTS MUST SEND ALL THE NECESSARY DOCUMENTS FOR REGISTRATION PURPOSES BEFORE PURCHASING THE REQUISITION WITH ANEW QUITTANCE ISSUED FROM GENERAL ASSEMBLY OF TAXES OR ENCLOSE WITH THE TECHNICAL OFFER OTHERWISE THE OFFER WILL BE REFUSED</p>	<p>20- ترسل الشركات الغير مسجلة لدينا / كافة المستمسكات المطلوبة لغرض تدقيقها واعتمادها قبل شراء الطلبية مع براءة ذمة حديثة صادرة من الهيئة العامة للضرائب قسم الشركات او ترفق المستمسكات مع العرض الفني المقدم في حالة عدم تقديمها سابقا وبخلافه تهمل العروض 0</p>
<p>21 SUPPLIER (SECOND PARTY) SUBMIT A PERFORMANCE BOND 5% OF TOTAL VALUE OF THE CONTRACT AS SOON AS THE ACCEPTED COPY OF THE CONTRACT IS SIGNED TO MAKE THE L/C OPERATIVE VALID ONE MONTH AFTER THE DELIVERY PERIOD AND NOT RETURN UNLESS ACCEPTANCE FROM BUYER S (FIRST PARTY) - THE PERFORMANCE BOND SHOULD BE CONFISCATED IN CASE OF NOT SUPPLING THE ORDER .</p>	<p>21- يقدم المجهز كفالة حسن اداء بنسبة 5% من الكلفة الكلية للعقد حال توقيع امر الشراء كشرط لتفعيل الاعتماد وتبقى الكفالة نافذة لمدة شهر بعد فترة التجهيز ولايجوز سحبها الا بموافقة المشتري ويتم مصادرتها في حالة عدم الالتزام بتنفيذ العقد</p>
<p>22 . HE COMPANY'S ADDRESS (COUNTRY, CITY, STREET, NO. E-MAIL, TEL-NO.) SHOULD BE CLEARLY SHOWN. ALSO NAME AND ADDRESS OF THE BANK WHICH SUPPLIERS DEALING WITH (CORRESPONDENCE BANK) SWIFT CODE, ACCOUNT NO. AND E-MAIL. NO.</p>	<p>22- على مقدم العرض بيان عنوانه الكامل (الدولة ، المدينة، الشارع، البناية ، العنوان البريدي ، الهاتف) وكذلك اسم وعنوان المصرف الذي يتعامل معه (المصرف المراسل) مع SWIFT CODE ورقم الحساب وعنوانه البريدي</p>
<p>23 COUNTRY OF ORIGIN SHOULD BE ACCURATELY MENTIONED . STATING COUNTRY OF ORIGIN SUCH AS (ASIAN OR EUROPEAN) IS NOT ACCEPTABLE, - AFTER CONTRACTING ANY CHANGE OF COUNTRY OF ORIGIN ARE NOT ALLOWED - THE ROUTE OF SHIPMENT, PORT OF SHIPMENT , ENTRY POINT SHOULD BE MENTIONED , IN ORDER TO GET CUSTOMS EXEMPTION LETTER</p>	<p>23- تحديد بلد منشأ البضاعة بشكل محدد (لايجوز ذكر المنشأ اوروبي او اسيوي فقط) وعند اصدار العقد لايجوز التغيير على منشأ البضاعة ويتم الالتزام بالمنشأ والمصنع عند التجهيز مع تحديد طريقة وميناء الشحن ونقطة الدخول لغرض الحصول على كتاب الاعفاء الكمركي</p>
<p>24 OFFERS SHOULD BE VALID 120 DAYS FROM THE CLOSING DATE AND CAN BE EXTENDED BY THE ACCEPTANCE OF BOTH PARTIES.</p>	<p>24- يفضل ان تكون العروض نافذة لمدة 120 يوم من تاريخ غلق المناقصة / ويمكن تمديدتها باتفاق المشتري والبايع</p>
<p>25 A FINE (DELAY PENALTY) SHOULD APPLIED AGAINST THE SUPPLIER (SECOND PARTY) NOT MORE THAN 10% OF TOTAL VALUE IN CASE OF NOT SUPPLYING THE REQUESTED MATERIAL WITHIN DELIVERY DATE STATED IN THE CONTRACT . ACCORDING TO THE FACTOR BELLOW PENALTY PER DAY = $\frac{\text{TOTAL VALUE OF THE PURCHASE ORDER}}{\text{DELIVERY PERIOD (DAYS)}}$</p>	<p>25- تفرض غرامة تاخيرية على المجهز لايتجاوز حدها الاعلى نسبة 10% من مبلغ عقد في حالة عدم تجهيز المواد بفترة التجهيز المثبتة في العقد ووفقاً للمعادلة الآتية الغرامات لليوم الواحد = $\text{مبلغ العقد} \times 10\%$ مدة العقد(يوم)</p>
<p>26 SUPPLIER (SECOND PARTY) BEAR ADMINISTRATIVE CHARGES OF 20% OF TOTAL VALUE OF THE CONTRACT OR FROM THE UN EXECUTED PART VALUE IF HE FAILS TO FULFILL HIS CONTRACTUAL OBLIGATION FULLY OR PARTIALLY</p>	<p>26- يتحمل البائع (المجهز) التحويلات الادارية في حالة قيام المشتري بتنفيذ العقد بسبب عدم التزام البائع بتنفيذه (او جزء منه) وبنسبة 20% من قيمة العقد او قيمة الجزء الغير منفذ</p>
<p>27 IRAQI LAWS SHOULD BE APPLIED IF THERE WILL BE A DISPUTE BETWEEN THE BOTH PARTIES AND THE DISPUT TO BE UNDER THE IRAQI JUDGEEMENT</p>	<p>27- تطبق القوانين والتعليمات المعمول بها في العراق في حالة وقوع منازعات او في كل مالم يرد به نص ويكون النزاع خاضعاً لولاية القضاء العراقي</p>

<p>28 3% FROM TOTAL VALUE OF L/C TO BE DEDUCTED AS TAXES AND RETURN THROUGH TAXES OFFICE FOR IRAQI COMPANIES OR IN CASE THE PAYMENT PAYABLE BY IRAQI DINAR ALSO FOR FOREIGN COMPANIES THAT YOU HAVE REGISTERED IN IRAQ OR HAVE BUREAU FOR FOLLOW UP</p>	<p>28- تستقطع نسبة 3% كاماتات ضريبية وتعاد من خلال الهيئة العامة للضرائب بعد تقديم مايتثبت سلامة موقفهم بالنسبة للشركات العراقية او في حالة الدفع بالدينار العراقي كذلك بالنسبة للشركات الاجنبية المسجلة في العراق او وجود مكتب لمتابعة الاعمال</p>
<p>29 0.002 FROM TOTAL VALUE TO BE DEDUCTED AS STAMPS CHARGES</p>	<p>29- 0,002 من الكلفة الكلية تستقطع كرسوم طابع</p>
<p>30 THE ACT 56 .1977 (DEBTS COLLECTION GOVERNMENTAL) SHOULD BE APPLIED REGARDING THE FINANCAIL DESERING SECOND PARTY .</p>	<p>30- يطبق قانون تحصيل الديون الحكومية رقم 56 لسنة 1977 بأن المستحقات المالية تترتب لشركتنا بذمة الطرف الاخر</p>
<p>31 THE ORIGIN CERTIFICATE TO BE SUBMITTED FROM THE MANUFACTURER AND APPROVED BY (IRAQI EMBASSY IN THE COUNTRY OF ORIGIN) IN CASE OF REQUESTED BY US</p>	<p>31 – تقدم شهادة منشأ من الشركة المصنعة للمواد وتكون مصدقة من قبل السفارة العراقية في بلد المنشأ في حالة طلب تقديمها من قبلنا</p>
<p>32 THE PAGES OF THE TECHNICAL AND COMMERCIAL OFFERS SHOULD BE NUMBERED WITH ATTACHMENT</p>	<p>32- يتم ترقيم صفحات العطاء (الفني والتجاري) وكذلك المرفقات ان وجدت</p>

REQ.NO:1382/2011

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				INSTRUMENT & METERS
				Delta Controls Ltd 147 London Rd Kingston Upon Thames Surrey Kt 26 MI England
1.	6	NOS	369212/012.3	Delta pressure switch Type 202 series zero range 2-60 PSI.
2.	6	NOS	369212/016.0	Explosion proof delta pressure switch type X/221/0 to 400LB F/IN2/SS/10 1/4" BSP taper female . Adjustable range 0-25 % of nominal range adjustment : internal against a calibrated scale . measuring element ; Bourdon tube wetted parts ; stainless steel switching contacts ; SPDT micro-switch contact rating ; 5/2 A at 240/440 VAC switching differential fixed electrical entry 3/4" ET Pressure connection : 1/4" BSP taper female housing explosion proof to N.E.C. 500 class 1 group A,B,C,D, division. Material aluminium al.
3.	3	NOS	369212/018.0	Delta bourdon tube pressure switch model X/223/0-750/SS26 housing explosion proof, type adjustable differential 223 (35 PSI MIN, and 750 PSI MAX) Range 0-750 PSI actuation S :steel bourdon tube 440switch model mercury D.P.D.T. 5/2A 240/ volts A.C.coupling standard
4.	2	NOS	369212/019.3	Pressure switch .explosion proof to MEC 500 class G-P-D. divl- Type XW/221 0 to 750 PSI/SS/26 1/4" BSP TR fem switching diff of 48 PSI
5.	6	NOS	369212/020.3	Pressure switch model X1223/0-200 PSI/SS/26 adjustable differential
				<i>Pressure switches</i>
6.	6	NOS	369212/057.0	pressure switch range (0-25KG/CM2 27EX/23ISS/25/13)
7.	6	NOS	369212/060.0	Temp switch range 50-120 C°
8.	3	NOS	369212/061.0	Temp. switch range 100-170 C° 27EX/72ISS/170/12
9.	6	NOS	369212/082.3	Delta pressure switch range (2.5-16) bar model No. W. S. 22 OG EB 0DJ 02
10.	8	NOS	369212/095.3	Temp .switch range

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				35-200°C type E 122
				Location : new lube plant power former dewax unit.
11.	2	NOS	369212/202.3	Mercoide temp, switch complete type DAH.35-153 as per serial NO.3D387240 range 7A-6F ARM S.2.B 200-300F° TAG THCO 041212 for CL & C2compressors.
12.	1	NOS	369212/203.3	Mercoide temp, switch complete type DAH-35-153 as per serial NO.3D95437 range 6FCSS. ARM .2.B(250-380F) Tag tah-067.
13.	8	NOS	369212/253.3	MERCOIDE PRESSURE SWITCH MODEL NO.: AIS-O-AL-1-2 WEATHER PROOF RANGE:15-150 PSIG CONNECTION:1/2"NPT.
14.	2	NOS	369212/255.3	pressure switch ADJ range 3-50 PSI 4TA-W5-M4-C2A-SSX
				UNITED ELECTRIC CONTROLS DIFFERENTIAL PRESSURE SWITCH TYPE J21K AME NO. 1618/30/554 OF 25-2-78
15.	2	NOS	369212/303.3	Temp. controller type 0302 Model 103 range 0-225F°
				SPARE PARTS FOR PRESSURE SWITCH PCO-401 TO 406
16.	10	NOS	369212/376.3	Vibration switch type AS (EX) AL-R Explosion proof with manual reset range 0-6.g
				MISCELLANEOUS
17.	2	NOS	369212/377.3	Temp-indicating switch type EPA-JC S/N 8040080 range 0-150 C°
18.	2	NOS	369212/378.3	Temp-indicating switch type EP-J S/N 7121189 range 0-100 C°
19.	3	NOS	369212/400.3	Pressure switch DBG/QB/1 2-18/KG/CM²
20.	2	NOS	369212/402.3	Temp switch range 40-110C° Modd DBG/SC-1B DWG 2.500 864-Teddington
				TSUCHIURA WORKS PRESSURE SWITCH – TAG. NO. PS1367 A&B
21.	6	NOS	369212/451.0	Pressure switch type AP-453 Range 0-15-2-5 KG/CM²
22.	6	NOS	369212/462.0	EXPLOTION PROOF PRESSURE SWITCH TYPE: H122-S156B-M414 RANGE : 0-100 PSI TWO SPDT. CONN.1/2 NPT

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
23.	4	NOS	369212/463.0	Temperature switch model NO.E110A 6CS with style cbulb and explosion proof fitting kit range (20 to 120) C (0 to 250) F
				TYPE : PRESSURE SWITCH
24.	8	NOS	369212/478.0	Pressure switch type J 100-53 range 30300 psi Explosion proof
25.	12	NOS	369212/482.0	Explosion proof temp switch Type E110 model 6BS range 0-250 F, remote mounted
26.	4	NOS	369212/483.0	Explosion proof temp switch Type E110 model 8BS range 50-650 F, remote mounted
				SPARE FOR INJECTION MOULDING MACHINE TYPE: A26-120
27.	6	NOS	369212/493.3	Thermo well 4" ST.ST. 3/4" NPT P/N SD-6225-76
				NAGANO KEITI,LTD, PRESSURE SWITCH.
28.	4	NOS	369212/500.0	Pressure switch type msd-21-1/2 Pt 0-25k.dwg.no.g 234-1611-32 Item no. doj-nks-spol-0103
29.	1	NOS	369212/501.0	Thermo switch type cstd-10-150C° DWG.NO.RG-7A
30.	4	NOS	369212/503.0	Pressure switch CD21-143 type DR and R2R-TG.type MSD,-21 Flame proof 0-35 KG/CM ² unit NO.PT. 1501C,KT-201 AB KT-301B,KT 50AB.KT-601AB
				DWG. NO. B.61-00827
31.	2	NOS	369212/512.3	Pressure switch type CQ20 0-4 KG/CM ² DWG.NO. E0790-11-010-CQ20 zoo PT.NO.938807
32.	2	NOS	513.3	pressure switch type CQ20-0-10 KG/CM ² PT.NO.938807
33.	2	NOS	518.3	Temp switch type mstd-1range 0-100 C° flame proof A/10M 19/21X13 C=200
34.	2	NOS	519.3	Temp switch type MSTD-1 range 0-100 C° FLAME PROOF A/5M 19/21X13U=180 T-20
				SPARES FOR CRUDE OIL METERING STATION
35.	1	NOS	369212/541.0	Diff pres switch Model E-301 Explosion proof Range 0.1-1.5 KG/CM ² TAG 20.1.dpsh.01

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				LOCATION : P.D.A. NO.1 POWER HOUSE
36.	6	NOS	369212/651.0	Explosion proof temperature Switch . Type : E 122 Model : 8BS-M414 Two spdt bulb+ capillary. Range 0-200C° Conn 1/2" NPT
37.	6	NOS	369212/653.0	Model M9B type F110 explosion proof remote mounted local mounted temp switch single switch rating 15 AMP 125/2 50 V.AC immersion stem 3" length 1" NPT .connection adjustable temp .range 600-1000 F°
38.	6	NOS	654.0	Model 102 type C110 explosion proof local mounted temp switch with single switch rating 15 AMP. 125/250 V.AC. immersion stem 3" length X 1/2" NPT. connection adjustable temp .range .0-225 F°

GENERAL